

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	16235	((print printer) and ((multiple many plural plurality different) near15 (media medium)) and transmit\$4 and storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 15:01
S2	63879	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 15:59
S3	3358	(347/101,105,106,104).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 16:00
S4	1967	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:07
S5	171	S1 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/04 16:00
S6	217	((confirmation message) with (user and input)) and (ink-jet or "inkjet" or inkjet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:57
S7	63879	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 14:19
S8	26	S6 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/07 14:19

EAST Search History

S9	1561	((value near15 store\$3) with user) and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:13
S10	63902	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 10:57
S11	55	S9 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 10:58
S12	8039	((value near15 store\$3) with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 11:12
S13	56	S12 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 11:18
S14	0	((confirmation) with (standby or "stand by" or "stand-by"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 11:20
S15	16024	((confirmation message input user) with (standby or "stand by" or "stand-by"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 11:46
S16	181	S15 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 11:21

EAST Search History

S17	6545	((confirmation confirm select choose message input user) with ((standby or "stand by" or "stand-by" or wait near state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 11:58
S18	92	S17 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 11:55
S19	2220	((confirmation confirm select choose message input user) with ((wait near state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 11:59
S20	8	S19 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 12:10
S21	20521	standby adj state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 12:11
S22	392956	(user operator) with (input choose select)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 12:11
S23	2555744	(confirm confirmation command message display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 12:12
S24	9966	S21 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 12:12

EAST Search History

S25	367	S24 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 12:12
S26	93	S25 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 14:48
S27	95	(user near select\$s) near20 standby	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 14:55
S28	63902	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 14:49
S29	0	S27 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 14:49
S30	626	(347/5).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 14:55
S31	36537	(wait or (standby "stand-by" "stand by")) adj state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 14:58
S32	30	S31 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 14:58

EAST Search History

S33	30	((wait or (standby "stand-by" "stand by")) adj state) near (confirm ask choose select)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 15:06
S34	269	((wait or (standby "stand-by" "stand by")) adj state) near (user operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 15:06
S35	6	S34 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 15:32
S36	151	user near standby	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 15:36
S37	251	(operator or user) near standby	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 15:33
S38	3	S36 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 15:34
S39	3	S37 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 15:33
S40	3767	user near15 standby	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 15:38

EAST Search History

S41	37	S40 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 15:36
S42	5092	(user or operator) near15 standby	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 15:38
S43	59	S42 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 16:29
S44	569	confirmation adj command	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 16:29
S45	1	S44 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/08 16:29
S46	142	(print\$4 with display) with standby	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:45
S50	388	(347/16).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 11:37
S52	0	("jp5238099").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 11:39

EAST Search History

S53	2	("5238099").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 11:39
S54	10	("3053376" "3581875" "3679043" "3828917" "3861673" "3888342" "4143755" "4456116" "4681211").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/09 11:40
S55	21	("5238099").URPN.	USPAT	OR	OFF	2005/11/09 11:42
S56	0	("7-237334").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 11:42
S57	0	("7237334").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 11:43
S58	3	("10006609").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/09 15:14
S59	122284	confirmation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 13:45
S60	142	(print\$4 with display) with standby	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 08:37
S61	24	S59 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:02

EAST Search History

S62	1163	(display near15 (error fact message)) with (medium "print medium" "print media")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:05
S63	63958	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:03
S64	37	S62 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:03
S65	2329	(display near15 (error fact message)) same (medium "print medium" "print media")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:07
S66	91	S65 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:07
S67	1953	(print\$4 with display) with error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 08:38
S68	22	(print\$4 with display) with error and (user near report)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 08:39
S69	0	(print\$4 with display) with error and (medium near (report near user))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 08:40

EAST Search History

S70	830	(print\$4 with display) with error and (medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 08:40
S71	4	(print\$4 with display) with error near (medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 08:40
S72	217	((confirmation message) with (user and input)) and (ink-jet or "inkjet" or inkjet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:55
S73	168	((confirmation near15 message) with (user and input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:58
S74	63958	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:57
S75	0	S73 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:57
S76	1996	((confirmation) with (user and input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:04
S77	8	S76 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 15:58

EAST Search History

S78	10242	((confirmation confirm message) with (user near15 input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:05
S79	32	S78 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/14 16:05
S80	1	(store or stor\$3) near15 ((identifier identify) with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:09
S81	1	("2004/0114023").URPN.	USPAT	OR	OFF	2005/11/22 15:11
S82	1297	((value near15 store\$3) with identif\$4) and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:13
S83	64071	("347").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:13
S84	37	S82 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:13
S85	8646	((value near15 store\$3) with identif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:15
S86	43	S85 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:14

EAST Search History

S87	434	((value near15 store\$3) with identif\$4) with user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:15
S88	514	((value near15 store\$3) with identif\$4) with (user or operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:20
S89	1	S88 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:16
S90	2172	((value near15 store\$3) with (identif\$4 analyze card catalog classify describe determinate determine diagnose diagnosticate distinguish establish find finger make name peg pinpoint place recognize select separate spot tab tag) with (user or operator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:23
S91	3	S90 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:22
S92	2587	((value with store\$3) with (identif\$4 analyze card catalog classify describe determinate determine diagnose diagnosticate distinguish establish find finger make name peg pinpoint place recognize select separate spot tab tag) with (user or operator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:24
S93	3264	((value with stor\$4) with (identif\$4 analyze card catalog classify describe determinate determine diagnose diagnosticate distinguish establish find finger make name peg pinpoint place recognize select separate spot tab tag) with (user or operator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:26

EAST Search History

S94	4	S93 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:24
S95	4	S92 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:24
S96	82168	((stor\$4) with (identif\$4 analyze card catalog classify describe determinate determine diagnose diagnosticate distinguish establish find finger make name peg pinpoint place recognize select separate spot tab tag) with (user or operator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:26
S97	321	S96 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/22 15:26
S98	764	"347"/\$.ccls. and (storage memory) near (unit data value) and (updat\$3 modify\$3) with (data value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:39
S99	2	("20040184043").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 10:43
S10 0	1766	358/1.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 10:44
S10 3	143	358/1.1.ccls. and (storage memory) near (unit data value) and (updat\$3 modify\$3) with (data value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 10:44

EAST Search History

S10 5	96	358/1.1.ccls. and (storage) near (unit data value) and (updat\$3 modify\$3) with (data value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 11:11
S10 6	7	358/1.1.ccls. and (storage) near (unit data value) and (updat\$3) near (unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 11:10
S10 7	454	358/1.1.ccls. and (storage stor\$3) near5 (unit data value) and (chang\$3 updat\$3 modify\$3) near10 (data value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 11:23
S10 8	33	358/1.1.ccls. and (storage stor\$3) near5 (unit data value) and (chang\$3 updat\$3 modify\$3) near10 (data value) and (host near device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 11:24
S10 9	9	358/1.1.ccls. and (storage stor\$3) near5 (unit data value) and ((chang\$3 updat\$3 modify\$3) near10 (data value) with (receiv\$3)) and (host near device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 11:47
S11 0	40	358/1.1.ccls. and (storage stor\$3) near5 (unit data value) and ((chang\$3 updat\$3 modify\$3) near10 (data value) with (receiv\$3)) and (host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 11:48
S11 1	21	358/1.1.ccls. and ((storage stor\$3) near5 (unit data value) with transmit\$4) and ((chang\$3 updat\$3 modify\$3) near10 (data value) with (receiv\$3)) and (host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 11:50
S11 2	44	358/1.1.ccls. and ((storage stor\$3) near5 (unit data value) with transmit\$4) and ((chang\$3 updat\$3 modify\$3) near10 (data value) with (receiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 13:58

EAST Search History

S11 3	175	358/1.1.ccls. and ((storage stor\$3) near5 (set\$4 near5 (value data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 13:59
S11 4	20	358/1.1.ccls. and ((storage stor\$3) near5 (set\$4 near5 (value data)) and (updat\$3 with receiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 14:14
S11 5	99	358/1.1.ccls. and ((storage stor\$3) near5 (set\$4 near5 (value data)) and (transmit\$4 near5 (value data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 14:20
S11 6	61	358/1.1.ccls. and ((storage stor\$3) near5 (set\$4 near5 (value data)) and (transmit\$4 near5 (value data) with (storage stor\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 14:57
S11 7	4	("2004018043").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 14:55
S11 8	2	("20040184043").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/12 14:55
S11 9	102	358/1.1.ccls. and ((storage stor\$3) near5 (medium media)) and (transmit\$4 near5 (value data) with (storage stor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 14:58
S12 0	140	358/1.1.ccls. and (((multiple many plural plurality different) near15 (media medium)) and transmit\$4 and storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:02

EAST Search History

S12 1	8	358/1.1.ccls. and (((multiple many plural plurality different) near10 (media medium)) same transmit\$4 same (storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:03
S12 2	34	"347"/\$.ccls. and (((multiple many plural plurality different) near10 (media medium)) same transmit\$4 same (storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:03
S12 3	2	"347"/\$.ccls. and (receiv\$3 near print near data) same (updat\$3 near (value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:30
S12 4	1	"358"/\$.ccls. and (receiv\$3 near print near data) same (updat\$3 near (value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:31
S12 5	2205	"358"/\$.ccls. and (receiv\$3 near data) same (transmit\$3 near (value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:32
S12 6	364	"347"/\$.ccls. and (receiv\$3 near data) same (transmit\$3 near (value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:32
S12 7	57	"347"/\$.ccls. and (receiv\$3 near print near data) same (transmit\$3 near (value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:32
S12 8	214	"358"/\$.ccls. and (receiv\$3 near print near data) same (transmit\$3 near (value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:32

EAST Search History

S129	146	"358"/\$.ccls. and (receiv\$3 near print near data) with (transmit\$3 near (value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/12 15:32
S130	98	"347"/\$.ccls. and (compar\$3 with (value setting data information) with (user operator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 10:02
S131	26	"347"/\$.ccls. and (compar\$3 with (value setting data information) with current with previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 09:25
S132	0	"347"/\$.ccls. and (compar\$3 with (value setting data information) with current with previous) same (user operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 09:26
S133	118	"347"/\$.ccls. and (compar\$3 with (value setting data information) with (alert\$3 inform\$3 notify\$3 display\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 09:49
S134	0	"347"/\$.ccls. and (compar\$3 with (value setting data information) with (alert\$3 inform\$3 notify\$3 display\$3)) with current with previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 09:45
S135	34	"347"/\$.ccls. and (compar\$3 with (value setting data information) with (alert\$3 inform\$3 notify\$3 display\$3)) same (media medium paper sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 09:55
S136	40	"347"/\$.ccls. and (compar\$3 with (adjust\$4) with (media medium paper sheet) with (set setting value data info information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 10:02

EAST Search History

S13 7	0	"347"/\$.ccls. and (compar\$3 with (adjust\$4) with (media medium paper sheet) with (set setting value data info information)) same (user operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 10:02
S13 8	37	358/1.1.ccls. and (compar\$3 with (value setting data information) with (user operator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 11:56
S13 9	605	"358"/\$.ccls. and (compar\$3 with (value setting data information) with (user operator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 10:02
S14 0	2	("20040218006").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 10:36
S14 1	2	("20020180822").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/24 11:33
S14 2	0	358/1.1.ccls. and (identif\$4 with (user operator) with (setting value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 11:57
S14 3	0	"358"/\$.ccls. and (identif\$4 with (user operator) with (setting value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 11:58
S14 4	13566	"358"/\$.ccls. and ((user operator) with (setting value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 11:58

EAST Search History

S14 5	1333	"358"/\$.ccls. and ((determine with (user operator) with (setting value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 11:58
S14 6	1778	"358"/\$.ccls. and ((determine identify) with (user operator) with (setting value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 11:59
S14 7	562	"358"/\$.ccls. and ((identify) with (user operator) with (setting value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 12:01
S14 8	1619	"358"/\$.ccls. and ((match compare determine) with (user operator) with (setting value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 12:01
S14 9	1254	"358"/\$.ccls. and ((match compare determine) with (user) with (setting value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 12:01
S15 0	240	"358"/\$.ccls. and ((match compare determine) near (user) with (setting value data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/24 12:01